

Confirmation no. 2475

PATENT

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicant:	VAN SINDEREN <i>et al.</i>	Examiner:	Nguyen, Duc
Serial No.:	10/539,316	Group Art Unit:	2618
Filed:	June 15, 2005	Docket No.:	NL021368US1 (NXPS.504PA)
Title:	MIXER SYSTEM WITH AMPLITUDE-, COMMON MODE- AND PHASE CORRECTIONS		


MAIL STOP RCE
Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

Customer No. 65913

1. This is a request for Continued Examination (RCE) under 37 C.F.R. § 1.114 of the above-identified application.
2. Attached please find:
 - a. ☒ An Amendment with Request for Continued Examination, submitted herewith to advance the above-referenced patent application under a final rejection dated 08/24/2009.
 - b. ☒ An Information Disclosure Statement
3. Fees:
 - a. ☒ Please charge Deposit Account Number 50-4019 (NL021368US1) the below RCE filing fee, with authorization to charge/credit said deposit account any additional required claims fees/overages; or extension of time to complete this filing.
 1. ☒ **The RCE filing fee of \$810.00.**
 2. ☒ **The fee for one additional independent claim. \$220.00.**

Please direct all correspondence to:

Corporate Patent Counsel
NXP Intellectual Property & Standards
1109 McKay Drive; Mail Stop S41-SJ
San Jose, CA 95131
Customer No. 65913

By: 
Name: Robert J. Crawford
Reg. No.: 32,122
(NXPS.504PA)